

Create Caries Exam For	
Caries Exam Date//	
Prepared By	
Which teeth have most recently been in the mouth for at least 12 months?	
 Primary Incisors Primary Molars Permanent First Molars 	
Status of the Primary Incisors	
 Sound or sealed, or only occlusal restorations Have interproximal restorations 	 Have pits, fissures or other defects Show early decalcification or are carious
How many months has the patient been without primary caries or an incipient carious lesion? Primary caries is the first carious lesion on a tooth surface, not one beneath or at the margin of a restoration.	
 36 or more 12-23 	 24-35 1 or more teeth has had primary caries in the last 12 months
Bacteria culture includes elevated MS and/or LB level?	
YesNo culture or test available	□ No
Check all that apply	
 Liquids containing sugar are given in crib or bed by bottle or consumed during the day in a sippy cup. Parent or caregiver is low socioeconomic status or health literacy Mother or caregiver has had a cavity within the last 12 months 	
Please answer the following questions	
How many erupted teeth are present in the oral cavity?	
# of teeth	
How many natural teeth have any type of restoration, including crowns and veneers?	

____# of teeth

How many natural teeth currently require treatment because of caries or a defective restoration?

____ # of teeth

How many natural teeth have primary caries or an incipient lesion?

____ # of teeth

Check all that apply

Clinical conditions

- □ Oral hygiene improvement is needed
- □ Dry mouth or inadequate saliva flow

Treatment History and Considerations

- Dental care frequency is NOT as regular as advised
- Developmental problems or special health care needs
- Teeth have been extracted due to caries in the last 36 months
- □ Fluoride varnish applied in last 6 months
- □ Has orthodontic appliance, space maintainer or obturator

Report Settings

□ Treatment Options

□ Home Care Report (coming soon)

□ Clinical Care Plan (coming soon)

Model this Patient

Save for Later

Finish

Nonprescription or prescription fluoride products other than water are used

□ Snacks or beverages containing sugar are consumed between meals 4 or more times

Questions the patient can answer

□ Patient drinks fluoridated water

per day